trifecta (silver)

26.7" x 11.9" x 11.9" (67.8cm x 30.2cm x 30.2cm)





- Ideal for the Specialty Retail/Bar environment
- Uses an air infusion single cup process that heightens the quality of fine coffees teas
- Saturation of coffee grounds can be controlled to get the percentage of water and pause appropriate for that coffee
- Controlled air is injected into the brew chamber to agitate the coffee at just the right time resulting in a uniform extraction and complex beverage sure to please any coffee lover
- Air presses the beverage through a metal screen that filters out coffee grounds while preserving coffee oils and aromatics for a deep-bodied, unique coffee experience

Agency:





Additional Features

Specifications

Product #: 41200.0000

Finish: Silver

Water Access: Plumbed

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	11.45	1375	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI	kPa Fitting Supplied		Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC
•		

Created on:

04/21/2016



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	11.9 in.	26.7 in.	11.9 in.	-	-	-	42.350 lbs	4.093 ft ³
Metric	30.2 cm	67.8 cm	30.2 cm	-	-	-	19.210 kgs	0.116 m³



Related Products & Accessories:trifecta (silver)(41200.0000)





& O-RING RD

Product #: 42388.1000



ACCESSORY KIT, TRIFECTA

Product #: 42768.1000



TABLETS, CLEANING

Product #: 42933.0000





Serving & Holding Options: trifecta (silver)(41200.0000)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

